

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	25	((TED) near2 (JOHNSON)).INV.	US-PGPUB; USPAT	OR	OFF	2007/09/20 18:21
S2	186160	client and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:17
S3	4348280	secur\$3 secret\$3 decoy\$1 hidden alternat\$3 translat\$3 scrambl\$3 change\$3 translat\$3	US-PGPUB; USPAT	OR	OFF	2007/09/20 09:18
S4	24695	port near2 number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:17
S5	839	S3 near3 S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:09
S6	478	S5 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:09
S7	33	S6 and 709/203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:48
S8	147949	client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:20
S9	18655	port adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:21
S10	1479014	(well adj known) (well?known)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:22

EAST Search History

S11	4805775	secur\$3 secret\$3 decoy\$1 hidden alternat\$3 translat\$3 scrambl\$3 change\$3 translat\$3 different	US-PGPUB; USPAT	OR	OFF	2007/09/20 09:22
S12	626	S8 and ((S10 or S11) near2 S9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:28
S13	6459	709/223.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 09:28
S14	50	S12 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 10:01
S17	29974043	@pd<"20040315" @rlad<"20040315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 10:07
S19	147949	client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 10:12
S20	18655	port adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 10:12
S21	1479014	(well adj known) (well?known)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 10:12
S22	4805775	secur\$3 secret\$3 decoy\$1 hidden alternat\$3 translat\$3 scrambl\$3 change\$3 translat\$3 different	US-PGPUB; USPAT	OR	OFF	2007/09/22 13:02
S23	626	S19 and ((S21 or S22) near2 S20)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 10:12

EAST Search History

S24	6459	709/223.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 10:12
S25	50	S23 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 10:12
S26	29974043	@pd<"20040315" @rlad<"20040315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 10:12
S27	35	S25 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 10:59
S28	15962	709/223-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 15:18
S29	111	S23 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 15:18
S30	77	S29 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 15:18
S31	8738	709/227-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 15:18
S32	82	S23 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 15:18
S33	62	S32 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 15:19

EAST Search History

S34	49	S19 and ((pseduo dynamic\$4) near2 S20)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 17:47
S35	23	S34 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 17:48
S36	147949	client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 18:22
S37	18655	port adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 18:22
S38	1479014	(well adj known) (well?known)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 18:22
S39	4805775	secur\$3 secret\$3 decoy\$1 hidden alternat\$3 translat\$3 scrambl\$3 change\$3 translat\$3 different	US-PGPUB; USPAT	OR	OFF	2007/09/20 18:22
S40	626	S36 and ((S38 or S39) near2 S37)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 18:22
S41	29974043	@pd<"20040315" @rlad<"20040315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 18:22
S42	409	S40 and S41	US-PGPUB; USPAT	OR	OFF	2007/09/20 18:40
S43	218	S42 and "709"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2007/09/20 18:40
S45	147949	client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 09:45

EAST Search History

S46	18655	port adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 09:45
S47	1479014	(well adj known) (well?known)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 09:45
S48	4805775	secur\$3 secret\$3 decoy\$1 hidden alternat\$3 translat\$3 scrambl\$3 change\$3 translat\$3 different	US-PGPUB; USPAT	OR	OFF	2007/09/21 09:45
S49	626	S45 and ((S47 or S48) near2 S46)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 09:45
S50	29974043	@pd<"20040315" @rlad<"20040315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 09:45
S51	409	S49 and S50	US-PGPUB; USPAT	OR	OFF	2007/09/21 09:45
S52	218	S51 and "709"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2007/09/21 09:45
S53	21	S52 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 09:50
S54	2048	(client OR node OR device OR terminal) SAME (establish\$3 OR creat\$3 OR open\$4 OR set\$5 OR request\$3) SAME (communicat\$4 OR session\$1 OR socket\$1 OR connect\$4 OR ((TCP OR IP OR computer) ADJ2 (session\$1 OR connect\$4))) SAME (server OR host OR provider OR ISP OR computer) SAME (attack OR Dos OR (denial ADJ of ADJ service) OR intrusion OR hack\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:10

EAST Search History

S55	1763	(decoy\$1 OR dummy OR secret\$3 OR hidden OR modif\$5 OR secure\$3 OR alternat\$3 OR translat\$3 OR scramble\$3 or chang\$3) WITH (bind\$4 OR bound\$4 OR map\$4 OR assign\$5) NEAR4 (port or (logical NEAR2 port\$1) OR socket\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 12:39
S56	29974043	(@pd<"20040315" @rlad<"20040315")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 12:39
S57	15	S54 AND S55 AND S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 12:53
S58	6506	(map\$4 OR re\$1direct\$5 OR bind\$4 OR translat\$5) NEAR2 port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 12:57
S59	3	S54 SAME S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 13:03
S60	56	S54 and S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 14:02
S61	38	S60 AND S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 14:20
S62	4	((("6983332") or ("6029045")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/21 14:32

EAST Search History

S63	23	(US-20040086123-\$ or US-20040008681-\$ or US-20040019682-\$ or US-20030110273-\$ or US-20060218265-\$ or US-20040044778-\$ or US-20040044777-\$ or US-20020099850-\$ or US-20020049857-\$ or US-20020143939-\$ or US-20040019804-\$).did. or (US-7254133-\$ or US-6983332-\$ or US-6205479-\$ or US-6457061-\$ or US-6609159-\$ or US-6615263-\$ or US-6219706-\$ or US-6654807-\$ or US-7054935-\$ or US-6587866-\$ or US-6591299-\$ or US-5950195-\$). did.	US-PGPUB; USPAT	OR	OFF	2007/09/21 15:01
S64	30476	(secur\$3 OR secret\$3 OR decoy\$1 OR hidden OR alternat\$3 OR translat\$3 OR scrambl\$3 OR change\$3 OR different) adj3 port\$1	US-PGPUB; USPAT	OR	OFF	2007/09/22 13:04
S65	449568	(Request\$3 OR node OR client OR device OR terminal) SAME (establish\$3 OR initiat\$3 OR set\$4 OR connect\$3 OR open\$3 OR creat\$3) Same (communicat\$4 OR session\$1 OR socket\$1 OR connect\$4 OR ((TCP OR IP OR computer) ADJ2 (session\$1 OR connect\$4))) SAME (server OR host OR provider OR ISP OR computer OR FTP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:40
S66	1365	S64 same S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:12
S67	29974043	(@pd<"20040315" @rlad<"20040315")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:12
S68	816	S66 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:12

EAST Search History

S69	651	S68 and software	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:16
S70	60736	((client adj server) OR client\$server OR client?server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:15
S71	651	S68 and software	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:16
S72	221	S70 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:18
S73	147949	client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:18
S74	18655	port adj number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:18
S75	1479014	(well adj known) (well?known)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:18
S76	4805775	secur\$3 secret\$3 decoy\$1 hidden alternat\$3 translat\$3 scrambl\$3 change\$3 translat\$3 different	US-PGPUB; USPAT	OR	OFF	2007/09/22 13:42
S77	626	S73 and ((S75 or S76) near2 S74)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:18
S78	29974043	@pd<"20040315" @rlad<"20040315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:18
S79	409	S77 and S78	US-PGPUB; USPAT	OR	OFF	2007/09/22 13:18

EAST Search History

S80	218	S79 and "709"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2007/09/22 13:18
S81	41	S72 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:25
S82	701278	(Request\$3 OR node OR client OR device OR terminal) SAME (establish\$3 OR initiat\$3 OR set\$4 OR connect\$3 OR open\$3 OR creat\$3) SAME (communicat\$4 OR session\$1 OR socket\$1 OR connect\$4 OR servic\$3 OR ((FTP OR TCP OR IP OR computer) ADJ2 (session\$1 OR connect\$4))) SAME (software OR process OR service OR server OR host OR provider OR ISP OR computer OR FTP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:40
S83	24627	(secur\$3 OR secret\$3 OR decoy\$1 OR hidden OR alternat\$3 OR translat\$3 OR scrambl\$3 OR change\$3 OR translat\$3 OR different) NEAR2 port	US-PGPUB; USPAT	OR	OFF	2007/09/22 13:45
S84	9009	S82 and S83	US-PGPUB; USPAT	OR	OFF	2007/09/22 13:45
S85	1596	S82 same S83	US-PGPUB; USPAT	OR	OFF	2007/09/22 13:46
S86	972	S85 and S67	US-PGPUB; USPAT	OR	OFF	2007/09/22 13:46
S87	71	S86 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/22 13:47
S88	436	(hacker intruder) SAME port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 11:08
S89	779	(hacker\$1 intruder\$1) SAME port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 11:08
S90	49418	port\$1 near2 (number\$1 valid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 15:50

EAST Search History

S91	269	S89 AND S90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 11:14
S92	29975392	@pd<"20040315" @rlad<"20040315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 11:10
S93	182	S91 AND S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 11:14
S94	92	S89 SAME S90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 11:14
S95	61	S94 AND S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 11:14
S96	321011	plurality with (port\$1 socket\$1 channel\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 14:49
S97	150006	plurality near2 (port\$1 socket\$1 channel\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 14:49
S98	3930584	(table memory buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 14:50
S99	32283	S96 SAME S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 14:51
S10 0	29975392	(@pd<"20040315" @rlad<"20040315")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 14:51

EAST Search History

S10 1	23313	S99 AND S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 14:52
S10 2	10883	((vaughn.xp. or vaughn.xa.) (kang.xp. or kang.xa.) (rinehart.xp.) (wiley.xp.) (geckil.xp.) ("prieto.xp" or prieto.xa.) (harrell.xp.) (Thompson.xp.) (cardone.xa.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 14:52
S10 3	150	S101 AND S102	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 14:52
S10 4	151962	port\$1 near2 (disparate first two different few)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 16:09
S10 5	90276	port\$1 near (disparate first two different few)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 16:12
S10 6	42695	(port\$1 near (plurality disparate first two different few)).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 16:17
S10 9	1280	S106 AND "709"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 16:21
S11 0	661	((((port socket channel) near2 (plurality disparate first two different few)) WITH ((port socket channel) adj number)).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 16:19
S11 1	108	S110 AND "709"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 16:22

EAST Search History

S11 2	33	(US-20030065950-\$ or US-20040019689-\$ or US-20060203808-\$ or US-20040008681-\$ or US-20040086123-\$ or US-20040019682-\$ or US-20030110273-\$ or US-20060218265-\$ or US-20040044778-\$ or US-20040044777-\$ or US-20060031514-\$ or US-20020099850-\$ or US-20020049857-\$ or US-20020143939-\$ or US-20040019804-\$ or US-20050198334-\$ or US-20050044242-\$ or US-20050138413-\$).did. or (US-5854841-\$ or US-6609159-\$ or US-6219706-\$ or US-7254133-\$ or US-6983332-\$ or US-6205479-\$ or US-6457061-\$ or US-7043564-\$ or US-6615263-\$ or US-7054935-\$ or US-6654807-\$ or US-6587866-\$ or US-6591299-\$ or US-5950195-\$ or US-7194769-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/09/28 11:59
S11 3	36923	(intermed\$5 interpos\$3 interven\$3 transitional intermediate) with port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:41
S11 4	3	S112 AND S113	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:03

EAST Search History

S11 5	230	(US-20040019689-\$ or US-20030065950-\$ or US-20060203808-\$ or US-20040008681-\$ or US-20040086123-\$ or US-20040019682-\$ or US-20030110273-\$ or US-20060218265-\$ or US-20040044778-\$ or US-20040044777-\$ or US-20060031514-\$ or US-20020099850-\$ or US-20020049857-\$ or US-20020143939-\$ or US-20040019804-\$ or US-20050198334-\$ or US-20050044242-\$ or US-20050138413-\$ or US-20040230660-\$ or US-20070220170-\$ or US-20030065711-\$ or US-20070189312-\$ or US-20030097592-\$ or US-20030081783-\$ or US-20020143965-\$ or US-20020143953-\$).did. or (US-20020178265-\$ or US-20020178268-\$ or US-20030101217-\$ or US-20050149760-\$ or US-20050130645-\$ or US-20030233454-\$ or US-20030177174-\$ or US-20050210243-\$ or US-20020038352-\$ or US-20060080446-\$ or US-20030154284-\$ or US-20030191795-\$ or US-20060195508-\$ or US-20020078233-\$ or US-20030009588-\$ or US-20010023449-\$ or US-20070088822-\$ or US-20040044912-\$ or US-20020144156-\$ or US-20030105976-\$ or US-20070180526-\$ or US-20030093558-\$ or US-20030101265-\$ or US-20030005104-\$ or US-20040049483-\$ or US-20040024879-\$ or US-20030126230-\$).did. or (US-20010007996-\$ or US-20050060434-\$ or US-20040049570-\$ or US-20030065791-\$ or US-20040210660-\$ or US-20060212586-\$ or	US-PGPUB; USPAT; JPO	OR	OFF	2007/09/28 12:29
----------	-----	---	----------------------------	----	-----	------------------

EAST Search History

S11 6	10	S113 and S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:30
S11 7	12109	(intermed\$5 interpos\$3 interven\$3 transitional intermediate) near3 port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:41
S11 8	29975392	(@pd<"20040315" @rlad<"20040315")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:47
S11 9	12109	(intermed\$5 interpos\$3 interven\$3 transitional intermediate) near3 port\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:55
S12 0	10167	S119 AND S118	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:47
S12 1	37	S120 and 709/223-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:57
S12 2	6	S121 AND OFFSET	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:53
S12 3	157	((intermed\$5 interpos\$3 interven\$3 transitional intermediate) NEAR3 port\$1) SAME OFFSET	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 14:37
S12 4	132	S118 AND S123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 13:20
S12 5	0	S124 AND S121	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:57

EAST Search History

S12 6	0	S124 AND 709/223-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 13:00
S12 7	1	S124 AND "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:58
S12 8	3	S124 AND "370"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 12:58
S12 9	1	(proxy NEAR3 port\$1) SAME offset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/28 14:38